100		1. Chup# 46	
	CCENSA Airbill Tracking B20974329020	Form 215	Sender's Copy +
1	From Please print and press hard. Sender's FedEx Account Number 1147-61320	4a Express Package Service X FedEx Priority Overnight PedEx Standard Overnight Next business information PedEx Standard Overnight PedEx Standard Overnight Next business information PedEx Standard Overnight Nex	Packages up to 150 lbs. Delivery commitment may be later in some areas. The fedEx First Overnight Earliest next business morning delivery to select locations
	Sender's Name STEPHANIE HOHENBERGER Phone (765) 452-5694	FedEx 2Day* Second business day FedEx Express Saver* Third business day	* FedEx Letter Rate not available Minimum charge: One-pound rate
	Company MILBANK MFG. CO.	4b Express Freight Service	Packages over 150 lbs. Delivery commitment may be later in some areas.
	Address 1400 E. HAVENS STREET	FedEx 1Day Freight* FedEx 2Day Freight Second business day * Call for Confirmation:	FedEx 3Day Freight Third business day
2	City KOKOMO State IN ZIP 46901	5 Packaging FedEx Letter* FedEx Pak*	* Declared value limit \$500 Other Pkg. Includes FedEx Box, FedEx Tube, and customer pkg.
_	Your Internal Billing Reference First 24 characters will appear on invoice.	6 Special Handling	
	To Recipient's Name Phone (317) 842-4261	Available for FedEx Priority Overnight and FedEx 2Day Available for FedEx Priority Overnight to select ZIP codes Not available	Weekday EX Location able with st Overnight to Vernight and FedEx Docation Available for FedEx Priority Overnight and FedEx 2Day to select locations
	Company TESTAMERICA INCORPORATED	Does this shipment contain dangerous goods? One box must be checked. Yes Syes Shipper's Declaration	Dry Ice Supplies the supplies t
100	Address 6964 HILLSDALE CT Vecannot deliver to PO, boxes or PO, ZIP codes.	Shipper's Declaration not required Dangerous Goods cannot be shipped in FedEx packaging. 7 Payment Bill to: Enter FedEx Acct. No. or Credit Card No. b	Drylce, 9, UN 1845 x kg Cargo Aircraft Only
11	Separ non Junior Tourist Touri	Sender Acct. No. in Section 1 Recipient Third Party Will be billed.	Credit Card Cash/Check
	MINISTER COLLA GALLING STATE COLLARS AND	FedEx Acct. No. 1158-0119-8	Exp. Date
	NEW Peel and Stick FedEx USA Airbill	Total Packages Total Weight Total Dec	.00
	See back for application instructions.	†Our liability is limited to \$100 unless you declare a higher value. See	back for details.
	Questions? Call 1-800-Go-FedEx® (800-463-3339) Visit our Web site at www.fedex.com By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability. 01389207	Release Signature Sign to authorize delivery without obtaining signa By signing you authorize us to deliver this shipment without obtaining it.	ture.

RETAIN THIS COPY FOR YOUR RECOR

SNA31

Packages up to 150 lbs.

FedEx First Overnight

Packages over 150 lbs.

Earliest next business morn delivery to select locations

FecEx USA Airbill Tracking B20974329020

	· · · · · · · · · · · · · · · · · · ·
1	From Please print and press hard.
	Date 06-15-00 Sender's FedEx Account Number 1147-61320
	Date 00-13-00 Account Number 1147-01320
	Sandar's
	Name STEPHANIE HOHENBERGER Phone (765) 452-5694
	Company MILBANK MFG. CO.
	Address 1400 E. HAVENS STREET
	Address 1400 E. HAVENS SIREEI Dept/Roor/Suita/Room
	City KOKOMO State IN ZIP 46901
,	Vous Internal Pilling Deference
۲	Your Internal Billing Reference
3	To
	Recipient's Name Phone (31.7) 842-4261
	Name Lindle / Programme Land and Land a
	TO TO TOTAL A MATERIA TO TOTAL A TOTAL CONTROL A TOTAL TO
	Company TESTAMERICA INCORPORATED
	Address 6964 HILLSDALE CT
	We cannot deliver to P.O. boxes or P.O. ZIP codes. Dept/Floor/Suita/Room
	To "HOLD" at FedEx location,
	print FedEx address here. T. N. J. T. A. N. J. A. J. T. J. T.
	City INDIANAPOLIS State IN ZIP 46250

NEW Peel and Stick FedEx USA Airbill

See back for application instructions.

Questions? Call 1.800.Go.FedEx* (800-463-3339)
Visit our Web site at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

0138920775

• Call	FedEx 1Day Freight* Next business day for Confirmation:	FedEx 2Day Second business	Freight	FedEx 3Day Freight Third business day
5	Packaging FedEx Letter*	FedEx Pak*	×	* Declared value limit \$500 Other Pkg. Includes FedEx Box, FedEx Tube, and customer pkg.
6	Special Handling Saturday Delivery Available for FedEx Priority Overnight and FedEx 2Day to select ZIP codes Does this shipment conta	Available for FedEx Priority Overnight to select ZIP codes ain dangerous goods?	HOLD Weekday at FedEx Location Not available with FedEx First Overnight	HOLD Saturday at FedEx Location Available for FedEx Priority Overnight and FedEx 2Day to select locations
	No Yes As per attache Shipper's Dec Dangerous Goods cannot be st	Yes Shipper's Declaration not required		845 x kg argo Aircraft Only
7 	Payment Bill to: Sender Acct. No. in Section 1	Enter FedEx Acct. No. or Cr Recipient Third P		ard Cash/Check

†Our liability is limited to \$100 unless you declare a higher value. See back for details.

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

Rev. Date 11/98-Part #154813G-@1994-98 FedEx-PRINTED IN U.S.A. GBFE 4/00

8 Release Signature Sign to authorize delivery without obtaining signature.

Total Declared Value[†]

.00

FedEx Use Only

359

FedEx Standard Overnight
Next business afternoon

FedEx Express Saver*

Pickup# 46

4a Express Package Service

4b Express Freight Service

FedEx Acct. No. 1158-0119-8

▼ FedEx Priority Overnight

FedEx 2Day*

JUL | 3 2000

ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTURING INC 1400 E. Havens Street Kokomo, IN 56901-3188

06/28/2000

Job Number: 00.02930 Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WEEKLY WASTEWATER ANALYSIS

Sample Number Sample Description Date Taken

Date Received

268192 WEEKLY WASTEWATER

06/08/2000

06/09/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only entirety.

Project Representative

JUL 3 2000

ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTURING INC

1400 E. Havens Street

Kokomo, IN 56901-3188

06/28/2000

Job No.: 00.02930

Page 2 of 3

Date Received: 06/09/2000

Job Description: WEEKLY WASTEWATER ANALYSIS

Sample Number / Sample I.D.

Parameters

Sample Date/

Flag

Analyst &

Date Analyzed

Reporting

Limit

268192

WEEKLY WASTEWATER

06/08/2000

Zinc, ICP

0.056

Result

mg/L

Units

crm / 06/21/2000

EPA 200.7

Method

<0.020



Page 3 of 3

KEY TO ABBREVIATIONS

- Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- * Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- a Indicates the sample concentration was quantitated using a diesel fuel standard.
- b Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- dl Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- Indicates the reported concentration is estimated.
- g Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
- Indicates the sample concentration was quantitated using a mineral spirits standard.
- Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias.
 All other quality control indicators are in control.
- r Indicates the sample was received past recommended holding time.
- u Indicates the sample was received improperly preserved and/or improperly contained.
- uj Indicates the result is below the Reporting Limit and is considered estimated.
- ${f z}$ Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

Chain stody Record	d				TE	S1	A	4EF	RIC	A	IN() .		JUL	. (3 200	00				ge	- of -	
	(630) 289-3	100 (319) 277-24	401	Charlotte, N (704) 392-1 Columbia, S	164	(93	yton, OH (7) 294-68 venport. I	356	(910	berton, N) 738-619	90	1 🗖	Nashville 615) 726 Macon, G	, TN (-0177	M) (7 Por (24)	8) 33	MI (O) 2-1940 , FL (P)) D Ro	ockford. II (315) 874-21 atertown, V	171	
(770) 368-0636	303) 659-0	497 (843) 849-65		(803) 796-8			19) 323-7	944	(317) 842-426	51	(912) 757	-0811				1-2560		20) 261-16		
Client: MILBANK MF	6	Project 1	No.: WEE	KLY W	ASTEWAT	e		F	REQU	JEST	ED P	ARA	ME	ΓERS									
Report Address: 1400 E. HA	PVENS		Address:												/			/	/ Is this	work bein	g conducte	ed for	
Kokomo, IN									/								/		regula				
Attn: RICHARD TYLES	2	Attn:					/	/ /					,	/ /			/	/		work bein			
Phone No.:		Sampled	d By:]									/				regula	tory enforce	ement acti	on?	
Fax No.:		P.O. No:	:			1	/ ^	i /								/	/			_ Ńo			
TURNAROUND TIME	***************************************	Quote N	o.		-	1 ,	/ %/	/ /		/	/ /		/	/ /						regulation		water	_
☐ Standard		State San	nples Collect	ted] /	Ø,								,				UST_ Other_		Drinking		
☐ Rush (surcharges may apply)	D	ate Needed	d:		******************************	// ,									_			-1-:-				None	
Sample ID	Date	Time	Comp (C) Grab (G)	Matrix	Lab Use		Ĭ		,								H,SO,	_	None		REMARI	KS	-
WEEKLY WASTENATER				uw		K													18 5	AMOLES	TO 3		
•																				Lou Pr			
7																							
															\top								
					\$																		
							1											\top					
																							-
QC Deliverables:	ΟL	evel 2 - Ba	tch QC																		24,4 Rec'L	100	
🗇 Level 3	<u> </u>	evel 4	Other														Init L	ab T	emp		Rec'L	ab Temp	
COMMENTS:															,								
								1/		7/	,		-6-1	4/6	19	4	- Parane						
Relinquished By: Stephan	w My	rapox	Date L	18, 3:40	Time R	Receive	d By:	(/a ta	In 1	1056	2_		Date	100	12.	Time	LA	B US	SE ON	LY:			
Relinquished By:		(Date		1	Receive	d By:						Date			Time							
Relinquished By:			Date		Time R	Receive	d By:						Date			Time	C	istod	v Seal	Yes			A
Relinquished By:			Date	1	Time R	Receive	d By:						Date	- 1		Time	10000			led by TA:	,	_	18 1 83

DAILY: EVERY DAY SYSTEM RUNS

IX WEEK: SODAYSOF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

IX MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: [1]

	Discharge Limit	ations		Monitoring Requirements							
	Regulated <u>Parameter</u>	Maximum for Any one Day mg/L	RESULT	DATE	Monitoring Frequency	Sample Type					
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]					
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]					
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]					
Ca	Cyanide	0.50			Semi-Annual	Grab					
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]					
Ní	Nickel[5]	0.80			Semi-Annual	Composite[2]					
9	Silver[5]	0.24			Semi-Annual	Composite[2]					
Zn	Zinc[5]	1.25	0.056	6-8-00	1 X Week	Composite[2]					
F06	Oil and Grease[6]	100			Semi-Annual	Grab					
OIL+ GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab					
	рН	6–10			Daily	Grab					
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]					
Nh3	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]					
	COD [4]	(Monitor and report)			1 X Month	Composite[2]					
1 2	TSS [4]	(Monitor and report)		,	1 X Month	Composite[2]					
	Flow	N/A			Daily [3]						
*	тто	2.13			Semi-Annual	Grab					
	Phenol	0.50			Semi-Annual	Grab					
Mo	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]					

SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

Chain of tody Record				211	AIC	KIL	įΑ	ING.										e	0	of
Asheville, NC (A) Bartlett, IL (C) (828) 254-5169 (630) 289-310 Atlanta, GA (B) Brighton, CO (303) 659-049	00 (319) 277-24 0 (D) Charleston,	401 (7 SC (F)	704) 392-11	64 C (H) [Dayton, C (937) 294 Davenpor (319) 323	-6856 t. IA (J)	(910 India	berton, NC (1) 738-6190 anapolis, IN (1) 842-4261		J Nashville (615) 726 J Macon, G (912) 757	6-0177 GA (N)		0	(248)	332- do, F	1940 L (P)	□ W	ockford. 815) 874 atertown 20) 261-	II (Q) -2171 , WI (•
Client: MILBANK MFG.	Project No.: WEE	KIM WA	STEWATE	K		REQ	UEST	ED PAR	RAM	ETERS	;	-			T					
Report Address: 1400 E. HAVENS	Invoice Address:	NO 1 VO 11	3. C.W. 19			7	7		/	7 7		7	/	/	7.					
Kokomo, IN								/ /		/ /				/	re	egulator	ry	ig condu		
Attn: RICHARD TYLER	Attn:					/ /	/ /	/ /								-		itoring?		
Phone No.:	Sampled By:							/ /		/ /	/		/	/	re	egulator	ry enfor	ig conduction	cted for ction?	r
Fax No.:	P.O. No:				\ \v_2\			/ /		′ /						es				
TURNAROUND TIME	Quote No.					/ /	/ /	/ /										ns apply: DESWa		:r
☐ Standard	State Samples Collect	ted			X /					/ /	/					ST		Drinki		er ne
☐ Rush (surcharges may apply) Dal	te Needed:			1	9 /			/ /	/	/ /	4	and b		f contr		_	-		NOI	iie
Sample ID Date	Time Comp (C) Grab (G)	Matrix	Lab Use	Y							5	HOE	ON ON	Conta	None			REMA	RKS	
WEEKLY WASTEWATER		ww		K					_		-	Z	=	FIC		_	mo Le	TO '	3=	
												1	T			T		ROPOR		ED
A.												1	T	1						
													1							
													1							
													\top	\top						
											\Box	1	1	\top						
											\Box	T	1	1	1					
												\top	\top	\top						
													1							
QC Deliverables:	vel 2 - Batch QC																			
☐ Level 3 ☐ Lev	vel 4 🗍 Other												Ini	t Lab	Tem	ıp		Rec	Lab To	emp
COMMENTS:																				
Relinquished By: Stephanus Man	MONGAN Date L	18, 3:407	Γime Re	eceived B	ly:				Da	ate 1		Tim	ie	LAB	USE	ONLY	' :			
Relinquished By:	Date			eceived B	sy:				Da	ate 1		Tim	ie							
Relinquished By:	Date	ΙΤ	Time Re	ceived B	y:				Da	ate [Tim	e	Cuef	odv	Seal:	Yes		No [N/A
Relinquished By:	Date	ד ו	Time Re	eceived B	by:				Da	ite		Tim	e				by TA	Account to the second	Yes [J_{No}

6-8-00



Corporate Office: P.O. Box 419028, Kansas City, Missouri 64141-0028*(816) 483-5314*FAX: 483-6357

	METER	
TIME	READING	
7:30	420970	`~
8:00	421010	
8:30	421200	
9:00	421380	
9:30	421570	ě
10:00	421750	
10:30	421930	
11:00	422120	
11:30	422300	
12:00	422350	
12:30	422430	
1:00	422610	
1:30	422780	
2:00	422950	
2:30	423120	
3:00	423290	
3:30	423440.	

Manufacturer of Meter Mounting Equipment Since 1927 Kansas City MO • E' Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV